



FINISHING SOLUTIONS

Special LVT

Gerflor®
theflooringgroup





GERFLOR and **ROMUS** have combined their expertise to offer you a complete range of accessories for luxury vinyl tiles (LVT).


Simplified installation for a perfect result.

Skirting	p. 04-07
Thresholds	p. 08-11
Decorative strips	p. 12-13
Solutions for stairs	p. 14-15
Underlayers	p. 16
Glue	p. 17
Tools	p. 18-19
Entrance mats	p. 20-21

DECORATIVE SKIRTING

Design skirting (PVC)

- **Own brands:** Gerflor.
- **Thickness of associated flooring:** All thicknesses.
- **Description:** Vinyl Design Skirting for a perfect finish of Gerflor floorcoverings. 100% watertight, it could be installed in all environment. Thin and discrete, it ensures an elegant finish and hides the dilatation gaps. Designs of the Creation 30, Creation 55 and Rigid 30 collections are available. The skirting is also available in a paintable white version.
- **Packaging:** 6 x 2 m.



Gerflor



CREATION
30/55




SAGA²
CREATION
30/55



CREATION
30/55

Vynaflex

- **Own brands:** Gerflor.
- **Thickness of associated flooring:** All thicknesses.
- **Description:** Solid-colour PVC skirting, available in three different heights, 60, 80 or 100 mm. Its flexible lip seal is highly effective against humidity and thus perfect for wet rooms.
- **Packaging:** 0483/0477 : 25 x 3 m / 0482 : 32 x 3 m.



Gerflor



CREATION
30/55/70




SAGA²
CREATION
30/55/70



CREATION
30/55/70

Design skirting (MDF)

- **Own brands:** Gerflor
- **Thickness of associated flooring:** All thicknesses
- **Description :** MDF Design Skirting for a perfect finish of Gerflor floorcoverings. Available in all designs of Creation 30, Creation 55, Top Silence and Rigid collection, it ensures an elegant finish and hides the dilatation gaps. The skirting is also available in a paintable white version.
- **Packaging:** 5 x 2.2 m



Gerflor



CREATION
30/55



SAGA²
CREATION
30/55




CREATION
30/55






Insert skirting (aluminium)

- **Own brands:** Romus.
- **Thickness of associated flooring:** 2/3 mm - 4 mm.
- **Description :** Aluminium profiles for creating skirting the height of your choice using LVT offcuts, and achieve an elegant inside corner finish with only a discrete contrast strip remaining visible.
- **Packaging:** 1 x 2.5 m.



Insert skirting (MDF)


- **Own brands:** Romus.
- **Thickness of associated flooring:** up to 5 mm.
- **Description :** Glue-on MDF skirting covered with very strong paper on the upper part. To be glued on as it is or painted over the white. With adhesive strips for gluing on LVT strips.
- **Packaging:** 1 x 2.2 m.



SKIRTING WHITE

CUBU skirting (MDF)

- **Own brands:** Romus.
- **Thickness of associated flooring:** All thicknesses.
- **Description:** High-resistance MDF-core skirting, encased in a composite structure made from a combination of thermoplastic elastomer and polypropylene. Excellent impact resistance; water and dust proof tanks to its soft lips on the top and bottom of the skirting.
- **Packaging:** 1 x 2.2 m / 1 x 2.5 m.



ROMUS



CREATION
30/55/70




SAGA²
CREATION
55/70



CREATION
30/55/70

Cover skirting (MDF)

- **Own brands:** Romus.
- **Thickness of associated flooring:** All thicknesses.
- **Description:** MDF skirting with a highly resistant paper overlay providing a finish without having to remove existing skirting. Precut for heights of 60/80/100 and 120 mm.
- **Packaging:** 1 x 2.2 m.



ROMUS



CREATION
30/55/70



SAGA²
CREATION
55/70



CREATION
30/55/70

ASSOCIATED FLOORING:



Bonded



Sealing




Clip-locked

Creation 55 (Ranch) / Eco Skirting (MDF)



Eco skirting (MDF)

- **Own brands:** Romus.
- **Thickness of associated flooring:** All thicknesses.
- **Description:** Glue-on MDF skirting, covered with a highly resistant paper overlay. To be glued on as it is or painted over the white.
- **Packaging:** 1 x 2.2 m.



ROMUS®



CREATION
30/55/70




SAGA²
CREATION
30/55



CREATION
30/55/70

Eco skirting (MDF)

- **Own brands:** Romus.
- **Thickness of associated flooring:** All thicknesses.
- **Description :** Glue-on MDF skirting covered with very strong paper.
To be glued on as it is or painted over the white.
- **Packaging :** 1 x 2.4 m.



ROMUS®



CREATION
30/55/70



SAGA²
CREATION
30/55




CREATION
30/55/70


THRESHOLDS

Ramp 2.8 mm (aluminium)

- **Own brands:** Gerflor.
- **Thickness of associated flooring:** 2/3 mm.
- **Description:** Access ramp resistant to high traffic and humidity.
- **Packaging:** 10 x 3 m.



0504




0504

Gerflor
CREATION
30/55/70

Loose-lay profile 5-6 mm (aluminium)


- **Own brands:** Gerflor.
- **Thickness of associated flooring:** 5/6 mm.
- **Description:** Access ramp that is installed without damaging the support for a total loose-lay system, unique on the market. Resistant to high traffic and humidity. Quick and easy installation owing to its 2-part design. Connectors to perfectly maintain two profiles together and pre-assembled corners (optional) for a perfect finish.
- **Packaging:** 5 x 3 m / 4 corners.
- **Associated products:** 0629 (corners).




0609



0609



0629




0629


Gerflor
SAGA²
CREATION
70CREATION
55/70

Ramp 5-6 mm (aluminium)


- **Own brands:** Gerflor.
- **Thickness of associated flooring:** 5/6 mm.
- **Description:** Access ramp resistant to high traffic and humidity. Simple installation thanks to connectors designed to perfectly maintain two profiles together; screw kit included. Pre-assembled corners (optional) for a perfect finish.
- **Packaging:** 5 x 3 m / 4 corners.
- **Associated products:** 1513 (corners).




0505



0505



1513



1513


Gerflor
SAGA²
CREATION
70CREATION
55/70

Access ramp 5-7 mm (aluminium)

- **Own brands:** Romus.
- **Thickness of associated flooring:** 5/6 mm.
- **Description:** Access ramp resistant to high traffic and humidity. Available in two finishes. Screws included.
- **Packaging:** 2.7 m.



2690 / 2691


ROMUS
SAGA²
CREATION
70CREATION
55/70

ASSOCIATED FLOORING:



Bonded



Sealing



Clip-locked


Consult the colours available on Gerflor.com / Romus.fr




Creation 70 Clic System (Wild Oak) / Ramp 5/6 mm (aluminium)

Bendable bevelled edge profiles (aluminium)

- **Own brands:** Romus.
- **Thickness of associated flooring:** 2.5/5 mm.
- **Description:** Bevelled edge profile for decorative effects: can be easily bent by hand to match your inspiration (min. radius: 200 mm).
- **Packaging:** 1 x 2.5 m.




Thickness	Code
2.5 mm	3540
5 mm	3542



Bendable straight edge profiles (aluminium)

- **Own brands:** Romus.
- **Thickness of associated flooring:** 2/2.5/4.5/6 mm.
- **Description:** Straight edge profile for decorative effects between 2 floorings. Can be easily bent by hand to match your inspiration (min. radius: 270 mm).
- **Packaging:** 1 x 2.5 m.





Thickness	Code
2 mm	3517
2.5 mm	3518
4.5 mm	13519
6 mm	13522



Reducer “design clip” thresholds (aluminium)

- **Own brands:** Romus.
- **Thickness of associated flooring:** 4/6 mm.
- **Description:** Multilevel access ramp available in two finishes. Enables gentle access to LVT areas.
- **Packaging:** 1 x 3 m.



ROMUS®




SAGA²
CREATION
55/70



CREATION
30/55/70

Transition “design clip” thresholds (aluminium)

- **Own brands:** Romus.
- **Thickness of associated flooring:** 4/6 mm.
- **Description:** Threshold for the connection between two floor coverings while allowing space for expansion.
- **Packaging:** 1 x 3 m.



ROMUS®



SAGA²
CREATION
55/70



CREATION
30/55/70



ASSOCIATED FLOORING:



Bonded



Sealing




Clip-locked

Creation 55 / Insert skirting (aluminium) / Flat threshold

Edge “design clip” thresholds (aluminium)

- **Own brands:** Romus.
- **Thickness of associated flooring:** 4/6 mm.
- **Description:** Threshold designed for edging and finishing the periphery of floor covering to elegantly conceal the expansion joint.
- **Packaging:** 1 x 2.7 m.
- **Numerous colours available:** 2.



3371 / 3373



ROMUS




**SAGA²
CREATION
55/70**



**CREATION
30/55/70**

Flat thresholds (aluminium)

- **Own brands:** Romus.
- **Thickness of associated flooring:** All thicknesses.
- **Description:** Flat (30 mm) or extra flat (40 mm) thresholds for junctions between two rooms. Available in screwed or bonded installation. To screw or glue.
- **Packaging:** 1 x 2.7 or 0.9 m.
- **Numerous colours available:** 2.



1570 / 1572 / 1571 /
1573 / 2570 / 2572 /
2571 / 2573 / 1584 /
1585 / 1587 / 1589 /
2584 / 2585 / 2587 /
2589



ROMUS



**CREATION
30/55/70**



**SAGA²
CREATION
55/70**





**CREATION
30/55/70**

Expansion thresholds (aluminium)

- **Own brands:** Romus.
- **Thickness of associated flooring:** 3/6 mm.
- **Description:** Allows LVT flooring to expand +/- 2.5 mm on both sides. Very discrete junction since, once fitted, only 14 mm of the profile remains visible.
- **Packaging:** 1 x 2.7 m.



3390 / 3391 /
3395 / 3396



ROMUS



**CREATION
30/55/70**



**CREATION
70**



DECORATIVE STRIPS

- **Own brands:** Gerflor.
- **Thickness of associated flooring:** 2/3 mm.
- **Description:** Strips to be inserted between two Creation planks for a decorative joint effect.
- **Packaging:** 80 units.
- **Dimensions:** Width 4 x 914 mm.



3203 - 0330 Silver Strip




3203 - 0331 Black Strip




3203 - 0332 Light Concrete Strip



3203 - 0333 Dark Concrete Strip



3203 - 0334 Brown Concrete Strip



3203 - 0335 White Concrete Strip

Gerflor



CREATION
30/55/70

ASSOCIATED FLOORING:



Bonded



Sealing



Clip-locked






SOLUTIONS FOR STAIRS

Nosing T67 (aluminium)

- **Own brands:** Gerflor.
- **Thickness of associated flooring:** All thicknesses.
- **Description:** Aluminium stair nosing for an elegant finish to steps while increasing safety with its non-slip strip.
- **Packaging:** 10 x 3 m.



Gerflor



CREATION
30/55/70




SAGA²
CREATION
30/55/70



CREATION
30/55/70

Skirting edge (aluminium)

- **Own brands:** Romus.
- **Thickness of associated flooring:** 2/3 mm.
- **Description:** Aluminium profiles for an aesthetic finish of the inside corners of the stairs, with only a thin contrast strip remaining visible.
- **Packaging:** 1 x 2.5 m.



ROMUS



CREATION
70/55/30

ASSOCIATED FLOORING:



Bonded



Sealing








Clip-locked





Double edge nosing, decoration series (aluminium)

- **Own brands:** Romus.
- **Thickness of associated flooring:** 3/4/5/6 mm.
- **Description :** Aluminium profiles for elegant and discrete finishing of LVT stairs. Once installed, only a discrete contrast strip remains visible.
- **Packaging:** 1 x 2,5 m (1603/1605 /1602) - 1 x 3 m (1604/1606).



ROMUS®



UNDERLAYERS

Gerflor acoustic 15 dB

- **Own brands:** Gerflor.
- **Associated flooring:** Creation 30 Clic / Creation 55 Clic / Creation 70 Clic System.
- **Description:** Isophonic underlay designed to reduce impact noise to 15 dB. Adapted to all types of traffic.
- **Packaging:** 1 x 15 m = 15 m².
- **Associated product :** Alu Tape (5950).



1798



Gerflor



CREATION
30/55/70

Gerflor Silence Plus 19 dB

- **Own brands:** Gerflor.
- **Associated flooring:** Creation 30 Clic / Creation 55 Clic.
- **Description:** Underlayer in accordance to achieve up to 19 dB acoustic insulation with Gerflor LVT Clic. Adapted for moderate traffic.
- **Packaging:** 1.18m x 8.5 m = 10 sqm.
- **Associated product :** Alu Tape (5950).



5949



Gerflor



CREATION
30/55

Gerflor Smart Fix 16 dB

- **Own brands:** Gerflor.
- **Associated flooring:** Creation 30 design / Creation 55 trend and design* / Creation 70 design*).
- **Description:** Underlayer with self-adhesive surface for a loose ay installation of LVT dry back and to achieve up to 16 dB acoustic insulation. Adapted for all traffic types.
- **Packaging:** 1m x 7.5 m = 7.5 sqm.



1698



Gerflor



CREATION
30/55/70

ASSOCIATED FLOORING:



Bonded



Sealing



Clip-locked

* Homologation in progress

Fix & Free 740

- **Own brands:** Gerflor.
- **Associated flooring:** Creation 55 Clic / Creation 70 clic / Creation 30 Clic.
- **Description:** Extra-wide (74 cm) double face designed to secure Creation Clic flooring installed over large areas and at doorways. For use on floor tiling and compact PVC flooring. Thanks to its non-migrating formula, Fix & Free 740 can be used to refurbish vinyl asbestos tiles.
- **Packaging:** 1 x 25 m = 18.5 m².



058W

Gerflor



CREATION
30/55/70



Creation 55 Clic (Carmel) / Fix & Free 740

TOOLS

Orckal flooring fitter's knife

- **Own brands:** Romus.
- **Description:** Ergonomic shape for greater comfort and use in all cutting and trimming situations.



91108

ROMUS®

Guillotine

- **Own brands:** Romus.
- **Description:** For easy and clean cutting of LVT planks.
- **Maximum width of cut:** MH-330: 90°: width 330 mm / 45°: width 215 mm / thickness : 16 mm.
LP-650: 90°: width 650 mm / 45°: width 540 mm / thickness: 10 mm.



93995 / 93650

ROMUS®

Anti-bounce mallet

- **Own brands:** Romus.
- **Description:** For assembling Creation Clic planks. Non-marking and absorbs impacts.



94964

ROMUS®

Floor protection

- **Own brands:** Gerflor.
- **Description:** The site protection is easy to install and allows one to effectively protect floors from potential damage until all installation operations are completed.



058X

Gerflor

Special LVT roller

- **Own brands:** Gerflor / Romus.
- **Description:** The ideal tool for silent installation of Creation Clic planks.



Gerflor **ROMUS**

Skirting mitre tool

- **Own brands:** Romus.
- **Description:** For clean mitre cutting of PVC skirting, offering aesthetic corners.
- **Associated skirting:** Vynaflex, Artwood, Cubu.



ROMUS



Creation 70 Clic (Portobello) / Special LVT roller

ENTRANCE MATS

Quick mat

- **Own brands:** Gerflor / Romus.
- **Thickness of associated flooring:** 5/6 mm.
- **Description :** Modular entrance mat that can be incrustated in Gerflor LVT floor covering without damaging the subfloor. It helps to scratch the underside of shoes and protects the building from outside dirt. For areas with frequent pedestrian traffic (up to 500 people per day).
- **Format :** 23 x 75 cm planks.
- **Packaging:** 1 sqm kit.



Gerflor 1720* / Romus 8550-8551

Gerflor



CREATION
70



CREATION
55/70

Loose-lay Romat GT insert kit

- **Own brands:** Gerflor.
- **Thickness of associated flooring:** 5/6 mm.
- **Description:** Entrance mat affording floors of buildings efficient and sustainable protection from pedestrian traffic by forming a barrier to outside dirt. Thanks to its loose-lay installation, the mat can be installed without damaging the surface. Adapted for an important pedestrian traffic (up to 2000 people per day).
- **Format:** 150 cm x 100 cm.
- **Packaging:** 1 Romat GT mat, frame consisting of 4 upper and 4 lower profiles, 4 pre-assembled external corners, 60 5-7 screws.



1719

Gerflor



SAGA2
CREATION
70



CREATION
30/55/70

Kit Esplanade 9000

- **Marque distributrice :** Gerflor.
- **Epaisseur des sols associés :** 6 mm.
- **Description :** Kit for the incrustation of an ESPLANADE 9000 mat in an area covered with Gerflor LVT Clic. The closed conception of the mat enable to scratch the underside of shoes and increase the durability of the floors. It resists to intensiv pedestrian traffic and to mecanial traffic.
- **Format :** 1.5 x 1.5 m.
- **Packaging :** 2.5 sqm kit : 3 mats modules, 4 upper and 4 lower profiles, screws.



1700*

Gerflor



CREATION
70



CREATION
55/70

In addition to this kit, **Romus** offers a wide range of mats set into the floor or loose-lay directly on the floor covering for optimal protection.

ASSOCIATED FLOORING:



Bonded



Sealing



Clip-locked

*On stock in May 2019





Saga² (Rough Textile Beige) / Symmetrical clip design threshold (aluminium)



Gerflor International
Tel: +33 (0)4 74 05 40 00
Fax: +33 (0)4 74 05 03 13
e-mail: gerflorcontract@gerflor.com

gerflor.com

**ARCHITECTURE
DECORATION
SPORT
TECHNOSPECIFIC**

ROMUS

ZA Les Pouards
13 et 15, Rue Taillefer
91160 Champlan
France
Tel : +33 (0) 1 69 79 69 77
email: welcome@romusworld.com
www.romusworld.com

Business card location

85 x 55 mm

Business card location

85 x 55 mm

Gerflor

Be connected!



www.gerflor.com

#Gerflor

GERFLOR, ECO-RESPONSIBLE SOLUTIONS



COMPOSITION
100% REACH compliant
FREE of formaldehyde
FREE of heavy metals
FREE of solvent



RECYCLED CONTENT
25% average
recycled content
100% REACH compliant
recycled content



RECYCLABILITY
100% recyclable
product



INDOOR AIR QUALITY
TVOC emissions between
10 and 100 times better than
norms requirements
Floorscore certified
No formaldehyde emission



INSTALLATION
Innovative adhesive
free installation systems



LCA
- Eco-designed according to a
product specific Life Cycle Analysis
- Product specific EPD
(Environmental Products
Declaration) available
- Manufactured in an Iso 14001
and Iso 50001 certified site
- Contribution to many Green Building
Schemes (LEED, HQE, BREEAM...)



WELLNESS
Health: Antibacterial activity
(inhibits growth > 99%)
Safety: Anti slip performance
Comfort: Walking comfort
and impact noise reduction

Gerflor
theflooringgroup